


**NOTES:**

- 1) MATERIAL: Cu-Mn-Cu.
- 2) RESISTANCE :  $75 \mu\Omega \pm 5\%$  TO BE MEASURED AT PT. A & B.
- 3) PART SHALL BE FREE FROM BURR AND DENT MARKS.
- 4) GENERAL TOLERANCE AS PER ISO 2768-mK.
- 5) SURFACE FINISH: TIN PLATING  $5\mu\text{M}$  MIN.

DO NOT SCALE THE DRG. IF IN DOUBT PLEASE ASK.

THE COPYRIGHT OF THESE DRAWINGS AND OF ALL ENCLOSURES ENTRUSTED TO THE RECEIPT PERSONALLY REMAINS THE EXCLUSIVE PROPERTY OF THIS FIRM WITHOUT OUR WRITTEN CONSENT THEY MAY NOT BE COPIED OR REPRODUCED OR DELIVERED OR MADE KNOWN TO THIRD PARTIES

Sr.No.	DESCRIPTION	QTY.	MATERIAL	SURFACE FINISH		
REV. NO	MODIFICATION		DATE	DRAWN BY	CHECKED BY	<b>TITLE:</b>
						<b>75<math>\mu</math>Ohms Shunt</b>
						<b>PERMANENT MAGNETS LTD.</b>
						MIRA ROAD (E), MUMBAI 401107
						UNITS : MM. PREPARED Nikunj 29/02/20
						 CHECKED
						SCALE-1:1 APPROVED
						Drawing No. R75 BAR 03-A